
Data Sheet

DTK-1660E 15.6-inch Pen Display for Business



Wacom® for Business

DTK-1660E

For beautifully flexible paperless workflows



Featuring a 15.6 Full HD resolution IPS LCD display, the Wacom DTK-1660E is a premium pen display that enables businesses to create an optimal paperless workflow for in-person customer interactions. Using the DTK-1660E as the key customer-facing device in a paperless workflow, the end-to-end documentation process can be accelerated from days to minutes. Moreover, the costs associated with buying, processing, distributing, storing and securely destroying paper documents can be completely eliminated.

The DTK-1660E features state-of-the-art encryption and 8,192 levels of digital pen pressure sensitivity that enables biometrically-accurate electronic signature capture. These attributes enable organizations to provide the most familiar and secure electronic signing and writing experience. The DTK-1660E also combines a modern, slim look with usage in portrait or landscape mode to create a flexible, comfortable user experience.



- **Key Features & Benefits**
- Outstanding performance and reliability through proven, premium and market-leading digital pen display technology
- Superb ease of use with no shrinking/scrolling when viewing and signing full screen A4 & letter-sized documents
- Low maintenance and long-life thanks to the highly durable, scratch resistant writing surface
- Lower document fraud risk through enhanced security and verification with state-of-the-art AES 256 / RSA 2048 encryption

- Flexible and comfortable usage with the ability to switch between landscape and portrait mode to view and sign A4/letter size digital documents within business workflows
- Enhanced customer satisfaction through the premium quality and highly intuitive pen and paper-like user experience
- Clean, clutter-free workspace with simplified cable management through the 3-in-1 connector cable

Wacom[®] for Business

General Specifications

	Dimensions (W x H x D, excluding stand)	16.61 x 11.22 x 0.96 inches / 422 x 285 x 24.5 mm
	Weight (including stand)	4.2 lbs / 1.9 kg
\nearrow	Stand inclination	19° integrated stand
5	Power supply	AC 100 ~ 240 V, 50/60 Hz
\mathcal{J}	Power consumption	27 W or lower, Power Save mode: 0.5 W or lower, Power OFF mode: 0.5W or lower
\rightleftharpoons	Communication interface	USB 2.0
٥٥٥	Programmable buttons	NA
€ <u>`</u> }	Supported operating systems	Windows 10 / 8.1 / 7 (32-bit, 64-bit) Mac OSX 10.11 or later
	LCD Screen	
	LCD Panel Type	IPS
	LCD Panel Type Touch Input	IPS No
	Touch Input	No
	Touch Input Cover glass surface	No Tempered Glass with AG film
	Touch Input Cover glass surface Aspect ratio	No Tempered Glass with AG film 16:9
	Touch Input Cover glass surface Aspect ratio Native resolution	No Tempered Glass with AG film 16:9 1920 x 1080 pixels
	Touch Input Cover glass surface Aspect ratio Native resolution Video input	No Tempered Glass with AG film 16:9 1920 x 1080 pixels HDMI
	Touch Input Cover glass surface Aspect ratio Native resolution Video input Viewing angles (horizontal/vertical)	No Tempered Glass with AG film 16:9 1920 x 1080 pixels HDMI 176° / 176°
	Touch Input Cover glass surface Aspect ratio Native resolution Video input Viewing angles (horizontal/vertical) Colours	No Tempered Glass with AG film 16:9 1920 x 1080 pixels HDMI 176° / 176° 16.7M colors

25 ms (typical)

W∂COM® for Business

Response time

Tablet and Pen

	Technology	Electromagenetic Resonance (EMR)
\bigoplus	Screen dimensions	15.6" diagonal (13.55 x 7.62 inches / 344.2 x 193.6 mm)
	Coordinate resolution	5080 lpi
•	Coordinate accuracy	±0.02 inches / ±0.5 mm (center)
	Report rate	187 points per second
	Pressure levels	8192
2	Encryption	AES 256 / RSA 2048
•	Reading height	0.2 inches / 5 mm or more (center)

Miscellaneous

	Pen storage	Pen stand
	Security lock slot	Yes, Kensington
	Mounting system	VESA 2.95 inches / 75 mm
\$	Signature software compatibility	Compatible with signature / eSign software and Wacom sign pro PDF; C++, .NET and Java SDK/API available for developers
© [®]	Drivers	Wacom driver required,, SDK/API available for developers
$ \bigcirc $	Warranty	3 years
	Package content	DTK-1660E, Wacom Pro Pen 2, Pen stand with replacement nibs and nib removal tool, Pen tether, 3-in-1 cable, AC power adapter, Power cable, Quick Start Guide, IPI



Japan (HQ)

For more information please contact:

Wacom Co., Ltd. · Sumitomo Fudosan Shinjuku Grand Tower 31F, 35F, 8-17-1 Nishi-Shinjuku, Shinjuku-ku, Tokyo 160-6131, Japan forbusiness@wacom.co.jp



America

For more information please contact / Pour de plus amples informations, veuillez contacte / Para obtener información adicional, póngase en contacto con:

Wacom Technology Corporation · 1455 NW Irving Street, Suite 800 | Portland, OR 97209 USA esign@wacom.com



Europe, Middle East and Africa

For more information please contact / Pour de plus amples informations, veuillez contacte / Para obtener información adicional, póngase en contacto con:

Wacom Europe GmbH ·Völklinger Straße 1, 40219 Düsseldorf, Germany solutions@wacom.eu



Australia

For more information please contact:

Wacom Australia Pty. Ltd. · Ground floor, Building 1, 3 Richardson Place, North Ryde, NSW, 2113, Australia forbusiness.ap@wacom.com



More human





China

For more information please contact:

Wacom China Corporation · 518, West Wing Office, China World Trade Center, No. 1 Jianguomenwai Avenue,
Chaoyang District, Beijing 100004, China
forbusiness.china@wacom.com

Kore

For more information please contact:

Wacom Korea Co., Ltd. · Rm #1211, 12F, KGIT Sangam Center,402 Worldcup Bukro, Mapo-gu, Seoul 03925, Korea forbusiness.ap@wacom.com

Singapore

For more information please contact:

Wacom Singapore Pte. Ltd. · 5 Temasek Boulevard, #12-09, Suntec Tower Five, Singapore 038985 forbusiness.ap@wacom.com

India

For more information please contact:

Wacom India Pvt. Ltd. · 426, Tower B, DLF Building Jasola District Centre, Mathura Road, New Delhi 110025 India forbusiness.ap@wacom.com

Hong Kong

For more information please contact:

Wacom Hong Kong Ltd. · Unit 1610, 16/F, Exchange Tower, 33 Wang Chiu Road Kowloon Bay, Hong Kong forbusiness.ap@wacom.com

business.wacom.com

© 2019 Wacom Co., Ltd.