# Data Sheet

# DTU-1141B 10.1-inch Pen Display

# **W∂COM**<sup>°</sup> for Business

. 6					
	•	•	• •		
		ACCOUNT IN	FORMATION		
Please indicate account type requested	🛛 Titanium	Steel	C Aluminum	🗆 Tin	Basic
Existing Accounts: Account # / Institution: 123456789 / 0001234	Accounts	ne:	Account # / Institution	:	Account Type:
Account # / Institution: 123456789 / 0001234	Account 1	Гуре:	Account # / Institution	:	Account Type:
		AUTHOR	IZA		
The above information is true to due process for establishing the	the best of my knowled requested checking acco	lge. I authorize Nei ount.	ghbors Comente of the second	verify any of the	above information as part of
am	a C	hen		Lucco.	
				Date	
Customer signature					
Customer signature					
Customer signature					
Customer signature		Wac	:om		

# DTU-1141B The leading eDocument and eSignature solution

#### **Product Overview**

The DTU-1141B provides an ideal document viewing and signing experience with its 10.1-inch, full HD resolution screen, minimal footprint and thin profile. It operates as an external monitor, but utilizes Wacom's patented pen technology to provide input for writing and signing. It is perfect for business applications that benefit from people working directly on screen with a pen, such as presenting forms for customers to review sign electronically, or mark up and annotate documents. While not in use for signing, it can display slideshows or advertising videos.

Please indicate account type	2 Titanium	8	Steel	D Aluminum	
requested Existing Accounts:			Steel	<b>G</b> Admindin	9
Account # / Institution: 123456789 / 000123456		ount Type: avings		Account # / Instit	tution:
Account # / Institution: 123456789 / 000123456		ount Type: necking		Account # / Instit	tution:
			AUTHOR		
Customer signature	r	C	he		0.1
					Date
n na seanna ann an seann an s			wac	nm	Date

#### **Key Features:**

- 10.1" LCD boasts full color, full HD resolution (1920x1080) and wide viewing angle.
- Patented, cordless, battery-free pen with 1024 levels of pressure sensitivity for premium signing/writing experience.
- Single USB cable installation. USB cable supplies video, power and USB data.
- State-of-the-art encryption to ensure secure transactions.
- 4 capacitive-touch ExpressKeys can be assigned to common functions.

- lighting conditions.
- the unit when needed.



• Hardened, anti-glare surface provides high durability and easier viewing in different

• Unique hardware ID (UID) to identify the exact unit used for any transaction.

Kensington<sup>®</sup> Security Slot to secure

 Standard VESA mounts allow you to use third-party arms and stands.

## **General Specifications**

Dimensions (W x H x D, excluding stand)	11.1 x 8.3 x 0.4 inches (283.0 x 210.0 x 11.0 mm)
Weight (including stand)	1.8 lbs (800.0 grams)
Stand inclination	15°
Power supply	USB bus power, no AC power required
Power consumption	5W maximum, 1W in sleep mode
$\overleftrightarrow$ Communication	Interface USB 2.0 (high speed)
र््ेरे Supported operating systems	Windows 10 / 8.1 / 7 (32-bit, 64-bit) Mac OSX 10.9 or later

#### LCD Screen

	Display	AHVA display
	Cover glass surface	Tempered anti-glare etched glass
€ € S	Screen dimensions	8.8 x 4.9 inches (223.2 x 125.6 mm)
	Aspect ratio	16:9
× *	Native resolution	Full HD, 1,920 x 1,080 pixels
<b>₩</b> \$) s	Supported resolutions	800x600, 1366x768, 1024x768, 1280x800, 1440x900, 1920x1080
$\triangleleft$ v	/iewing angles (horizontal/vertical)	170° / 170°
-;;- L	uminance (brightness)	200 cd/m2 (typical)
	Contrast ratio	1000:1 (typical)
F	Response time	25 ms (typical)
ð, c	Colours	16.7M colors

### **Tablet and Pen**

	Technology	Elect
	Coordinate resolution	2540
<b>(</b>	Coordinate accuracy	±0.02
$\left( \begin{array}{c} \cdot \\ \cdot \\ \cdot \\ \cdot \\ \cdot \end{array} \right)$	Report rate	200
	Pressure levels	1024
	Security lock slot	Yes
Ĵ.	Encryption	AES
ð	Data security	Real t

### Miscellaneous

•	Reading height	5 mm
Ð	Pen storage	Integr
•••	Mounting system	VESA
٩	Signature software compatability	Comp and W API av
(j) <sup>®</sup>	Drivers	Waco
Ô	Package content	DTU-: tether

## Wacom<sup>®</sup> for Business

tromagenetic Resonance (EMR)

0 lpi or 0.01 mm/pt

02 inch / ±0.5 mm (center)

points per sec. (non interpolated)

256 / RSA 2048

l time signature capture without rnal pad memory

m or more (center)

grated pen compartment, pen holder

A 75 mm

npatible with signature / E-signing software Wacom sign pro PDF, C++, .NET and Java SDK/ available for developers

com driver and DisplayLink driver required

DTU-1141B, Pen, USB cable, quick start guide, pen tether, 5 extra pen nibs, nib removal tool, 4 VESA mounting screws, USB plug attachment



Japan (HQ) For more information please contact: Wacom Co., Ltd. · Sumitomo Fudosan Shinjuku Grand Tower 31F, 35F, 8-17-1 Nishi-Shinjuku, Shinjuku-ku, Tokyo 160-6131, Japan forbusiness@wacom.co.jp



#### Americas For more information please contact / Pour de plus amples informations, veuillez contacte / Para obtener información adicional, póngase en contacto con: Wacom Technology Corporation · 1455 NW Irving Street, Suite 800 | Portland, OR 97209 USA esign@wacom.com



Europe, Middle East and Africa For more information please contact / Pour de plus amples informations, veuillez contacte / Para obtener información adicional, póngase en contacto con: Wacom Europe GmbH ·Völklinger Straße 1, 40219 Düsseldorf, Germany solutions@wacom.eu



Australia For more information please contact: Wacom Australia Pty. Ltd. · Ground floor, Building 1, 3 Richardson Place, North Ryde, NSW, 2113, Australia forbusiness.ap@wacom.com

### Wacom<sup>®</sup> for Business

# More human





China For more information please contact: Wacom China Corporation · 518, West Wing Office, China World Trade Center, No. 1 Jianguomenwai Avenue, Chaoyang District, Beijing 100004, China forbusiness.china@wacom.com

Korea

For more information please contact: Wacom Korea Co., Ltd. · Rm #1211, 12F, KGIT Sangam Center,402 Worldcup Bukro, Mapo-gu, Seoul 03925, Korea forbusiness.ap@wacom.com

#### Singapore

For more information please contact: Wacom Singapore Pte. Ltd. • 5 Temasek Boulevard, #12-09, Suntec Tower Five, Singapore 038985 forbusiness.ap@wacom.com

#### India

For more information please contact: Wacom India Pvt. Ltd. · 426, Tower B, DLF Building Jasola District Centre, Mathura Road, New Delhi 110025 India forbusiness.ap@wacom.com

#### Hong Kong

For more information please contact: Wacom Hong Kong Ltd. Unit 1610, 16/F, Exchange Tower, 33 Wang Chiu Road Kowloon Bay, Hong Kong forbusiness.ap@wacom.com

business.wacom.com

© 2019 Wacom Co., Ltd.

